12 42 195

KNIPEX MultiStrip 10 Automatic Insulation Stripper








- fully automatic adjustment to commercially used single-, multi- and fine-stranded conductors with standard insulation throughout the entire capacity range from 0.03 to 10.0 mm²
- no manual fine adjustment required, no damage to the conductors
- the clamping jaws made of steel with integrated cutting edge hold the cable in a way that prevents slipping without damaging the remaining insulation
- with wire cutter for copper and aluminium conductors, multi-stranded up to 10 mm² and single-stranded up to 6 mm²
- particularly smooth-running mechanics and very low weight
- replaceable blades block and length stop
- handle with soft-plastic zone for a steady grip
- body: plastic, fibreglass-reinforced
- blade: special tool steel, oil-hardened

WW



Patented mechanics

The incision depth of the stripping blade adjusts fully automatically to the diameter of the wire and accordingly also to the thickness of all standard insulating materials. There is no need for any manual adjustment which is still necessary when other conventional pliers with a wide wire-stripping range are used.

Mode of operation of straight cutters

Models 12 40 200 and 12 42 195

An incision is made in the red area only.

Not suitable for highly-flexible or armoured insulation materials or for multi-layered insulation.

Article No.	12 42 195
EAN	4003773054580
Stripping capacities mm ²	0,03 - 10,0
AWG	32 - 7
Length mm	195
Net weight g	136

technical change and errors excepted



Wire cutter for multiple stranded wire cables up to 10.0 mm²



Steel restrain jaws with cutting edges avoid skidding of the cable



Precise stripping from 0.03 to 10.0 mm² without re-adjustment



Spare Parts

Spare Fare		
Article No.	EAN	
12 49 21	4003773057581	Spare blades block for 12 42 195 Automatic Insulation Stripper

12 49 22	4003773057598	1 pair of spare restrain jaws with cutting edges for 12 42 195
12 49 23	4003773057604	Spare length stop for 12 42 195 Automatic Insulation Stripper