

CLEAN REMOVAL, GEL-COAT

MARINE MASKING TAPES

Marine gel-coat applications require a masking tape that provides clean lines and easy removal. It's why our Product Development and Innovation (PD&I) team has tested these masking tapes against the most demanding gel-coat applications in the marine market.

Shurtape's Marine Masking Tapes conform well to irregular surfaces, are designed to block solvents and moisture to minimize bleed-through and rework, and are compatible with the most common gel-coats used in the industry.

Whatever your marine masking application, Shurtape's product portfolio offers you the product you need for consistent and reliable performance.








MARINE MASKING

SHURTAPE.COM 1.888.442.TAPE

Shurtape[®]
TRUE TO YOUR WORK[™]

CLEAN REMOVAL, GEL-COAT

MARINE MASKING TAPES

		Tensile	Adhesion to Stainless Steel	Thickness	Elongation	Service Temperature Range
CP 83	 <ul style="list-style-type: none"> • Good adhesion on a variety of substrates • Flexible and easy to use • Excellent quick stick 	20 lbs/in width	49 oz/in width	5 mils	8%	50 - 150 F
CP 105	 <ul style="list-style-type: none"> • Good performance on a variety of substrates • 100% surface contact area to substrate • Enhanced removal properties 	18 lbs/in width	30 oz/in width	4.6 mils	7%	60 - 150 F
CP 400	 <ul style="list-style-type: none"> • Easy handling • Sharp paint lines • Clean removal 	24 lbs/in width	34 oz/in width	5.7 mils	10%	32 - 200 F
CP 500	 <ul style="list-style-type: none"> • Easy unwind • Sharp paint lines • Excellent quick stick 	26 lbs/in width	43 oz/in width	5.8 mils	9%	45 - 300 F
CF 740®	 <ul style="list-style-type: none"> • Easy unwind • Resists paint bleed-through • No residue 	25 lbs/in width	39 oz/in width	6.3 mils	11%	45 - 350 F



SHURTAPE.COM 1.888.442.TAPE    

Shurtape®
TRUE TO YOUR WORK™

ISO 9001 CERTIFIED QUALITY SYSTEM © 2016 Shurtape Technologies, LLC
Printed in USA on recycled paper. Form #SS-Marine Masking-03/02/2016-E