

# CHEMICA



Engineered with the ultimate combination of protection and dexterity, SHOWA 874 features a superior resistance to highly corrosive acids and is designed for handling ketones and esters.

#### **FEATURES** ſ

- Unlined Butyl rubber
- 14-mil thick
- 14" long
- Rolled cuff
- Smooth grip

## **BENEFITS**

- Protection against ketones, alcohols, nerve agents
- Provides the highest permeation resistance to gases and water vapors of any protective material used to make gloves
- Superior resistance to highly corrosive acids

## **INDUSTRY**



Oil and Gas

### **IDEAL APPLICATIONS**

- Chemical spray and treatment
- Coating preparation
- Laboratory, pharma & analysis
- Painting & spray workshops
- Deck crew
- Drilling
- Fracking



## TAA PRODUCTS

#### MATERIAL

Unsupported


#### COATING

- Butyl
- chemical resistant
- Water resistant

#### GRIP

• Smooth

#### **STANDARDS**





## USER INSTRUCTIONS

Protection against mechanical risks, with electrostatic properties. Do not use where there are chemical, electrical, thermal or entanglement risks. Wash at 40°C max. Performance levels as per standard EN388 retained after 3 washes, subject to variations linked to actual usage conditions. The performance levels apply to the coated surface only. Store in a dry place, away from the light. All clothing and shoes worn with the glove with electrostatic dissipation properties must also be designed taking the electrostatic risk into account.

## **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

